

RECEIVED

JAN 0 7 2002

Technology Center 2600

76/2

Application/Control Number: 09/747,268

Art Unit: 2632

In RE: Claims 1-9

Mr. Jeff Hofsass:

I'm an Electronic Technician here in Chicago for over twenty years. While viewing the local nigthly news in the fall of 1999, I witnessed a tragic fire death that taken the life of an beloved community activist. Whereby, this fire originated in the basement (remote area) family member was asleep on second floor level during early morning hours. Accordings to Chicago Fire Department report, there was working individual smoke detector units installed in the home on the first and second floor level and was not enough to save there life. Figures 3.1 drawing of Patent writing is base on this fire tragedy, whereas smoke detector alarm sound alerting basement area only, family member was partly alert or not at all. I thought of my own family, and went to work, in developed a smoke detector to overcome these shortcomings. Photo page (1) one enclosed, is a front side and rear view of the home we purchase here in Chicago 1999 with security bars on all the first floor and basement level windows. Fig. 3.2 drawing of Patent writing illustrated the solution for remote areas. The Multiple Area Smoke Detector system I developed, is designed to alert families such as myself with children less than five years old sleeping in different rooms or areas of the home or building. Photo page (2) two enclosed, is a photo of the first complete models dated 2 20 '00 and a photo of the Inventor holden one working model dated 3 06 '00. Photo page submitted with Provisional Patent Application, filing date 08/01/00, application number 60/222,300 displaying working models enclosed. Shortly after completing working models I visit the Patent and Trademark Depository Library here in Chicago whereby I did a complete search related to smoke detectors under class: 240 and 250, subclass 381, 629, 438, 573 and 574. Therefore by not finding any previous or present smoke detector units application on file incorparated with a smoke detector unit, RF codelock transmitter and receiver circuit, manual and RF transmitter reset switches, tone generator, lamp indicator, and timer circuits, after which learning these things, again I've file a Provisional Patent Application. Whereupon receiving Filing Receipt 10/30/2000, it further assured me that there was no other invention like this in the United State of America. Whereby knowing these things I've filed a Utility Patent Application 12/26/00.

Please find closed:

Two photo's pages, Provisional Patent Application Filing Receipt, Nonprovisional Patent Application, nine new Patent Application Claims four pages, and a package drawing demostration one page.

Thank you kindly.

Most Sincerely

Mr. Bernard Vining

PATENT CLAIM 09/747,268

What is claimed is:

(1) A multiple area smoke detector system, said with ability to transmitt rf radio frequency tuned codelock signal to other rooms or areas in the same building, said where emergency smoke conditions may have occured, remotely sounding audible alarms signals said alerting these areas;

said individual source smoke detectors units used to detect smoke hazard conditions are incorporating parts;

each of the said incorporating source smoke detectors units including:

said an commerical smoke detector unit, which is, said inbodied with ionization chamber said detection of smoke particles, said audible alarm to alert of isolated smoke hazard conditions;

said including commerical codelock transmitter circuit tuned to operate on the same rf radio frequency:

said for transmitting rf radio frequency tuned codelock signal, said to communicate with rf radio frequency tuned codelock receivers used in ,said single building to be protected; said including commercial codelock receiver circuit tuned to operate on the same rf radio frequency, said for receiving transmitted rf radio frequency tuned codelock signal said from rf tuned codelock transmitter circuits used said in a single building to be protected.

(2) Multiple area smoke detector system, said further including timers circuits: timer circuit said for receiving electrical voltage pulse said from commercial smoke detector unit;

time circut said to start system;

timer circuit said for turning on false alarm visual lamp indicator,

timer circuit said for turning off false alarm visual lamp indicator,

time circuit said for turning on triggered source smoke detector visual signal indicator, time circuit said for turning off triggered source smoke detector visual signal indicator, timer circuit electrical voltage pulse said for preventing transmitter circuit from, said transmitting rf radio frequency tuned codelock signal;

said timer circuit for actuating transmitter circuit said to generates rf radio frequency tuned codelock signal to said actuates rf radio frequency tuned codelock receivers cirtcuit;

said including tone generator circuit:

local tone generator circuit, said for generating audible signal,

said including reset circuitry:

said for retting individual source smoke detector, said retting system;

said including, individual source smoke detector, said each voltage supply operate on individual voltage dc / ac wall plugs adopter.

(3) Multiple area smoke detector system as in claim 2, wherein, when a individual source smoke detector, local detecting unit detected smoke hazard conditions, said a

incorporating electrical signal is generated to a connecting timer circuit, wherein said, electrically connected to false alarm timer circuit, said which display visual signal indicator during timer interval, said identifing where smoke hazard conditions originated, said a second visual lamp indicator electrically connected to a timer circuit, further displaying individual source smoke detector unit energized by smoke hazard conditions.

- (4) Multiple area smoke detector system as in claims 1,2 and 3, wherein, said when false alarm timer circuit interval time out, said a incorporating electrical signal is generated to energize transmitter circuit, said transmitter generates a rf radio frequency tuned codelock signal, said to actuate local and associated rf radio frequency tuned receivers circuits used to protected rooms or areas in a single building.
- (5) Multiple area smoke detector system as in claims, 1,3 and 4, wherein said false alarm timer interval time out, said electrical signal for false alarm visual signal indicator is turned-off; said trigger source smoke detector second visual signal indicator electrical connected to a timer circuit, said remains on ,identifing triggered source detector unit, said until timer interval times out.
- (6) Multiple area smoke detector system as in claims ,1,2,3,4 and 5, wherein said where rf radio frequency tuned codelock local and associated receivers circuits is energized, said receivers outputs controllers changes states, said a incorporating electrical voltage signal is generated by receivers circuits to local and associated tone generators circuits, said produced audible signal, said to alert in rooms or areas to protected in a single building of smoke hazard conditions.

- (7) Multiple area smoke detector system as in claims 2,3,4 and 6, said receivers outputs controller changes states, said digital logic gate signal, said reset timer, resetting triggered source smoke detector unit, said incorporating voltage signal is switch off depowering local smoke detector, said inhibiting further actuation of the system, said until it is reset.
- (8) Multiple area smoke detector system as in claims 2,3,4 and 7, said wherein system contains reset circuitry, said for resetting triggered source smoke detector unit, said before false alarm timer interval expire, said by pressing and releasing manual rf radio frequency tuned codelock switch controller on unit twice in succession transmitting rf radio frequency tuned codelock signal, said to rf radio frequency tuned receiver circuit output controller, said reset triggered source smoke detector unit; said resetsystem after false alarm timer interval expires, said pressing and releasing manual rf switch controller on unit once, transmitting rf radio frequency tuned codelock signal, said to rf radio frequency tuned receiver circuit output controller, said reset system.
- (9) Multiple area smoke detector system as in claim 8, said system have the ability to be reset, said from another source smoke detector switch controller, said other than the one that was triggered by smoke hazard conitions, said system have the ability to be reset, said by switch contoller on hand held rf radio frequency tuned codelock transmitter unit.







By Brenard Vining

US PATENT PENDING

2000





Packages of Two, Three, Four and Five. Selected by rooms or areas in single Building to be Protected.







PHOTO PAGE TWO ()







United States Patent and Trademark Office

COMMISSIONER FOR PATENTS UNITED STATES PATENT AND TRADEMARK OFFICE

WASHINGTON, D.C. 20231 www.uspta.gov

APPLICATION NUMBER 09/747,268

FILING DATE 12/26/2000

GRP ART UNIT 2632

FIL FEE REC'D ATTY DOCKET NO 355

DRAWINGS

TOT CLAIMS IND CLAIMS

3

CONFIRMATION NO. 2695

BERNARD VINING 6419 SOUTH TROY STREET CHICAGO, IL 60629

RECEIVED

JAN 0 7 2002

FILING RECEIPT OC000000005767188*

Technology Center 2600

Date Mailed: 02/15/2001

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Customer Service Center. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the PTO processes the reply to the Notice, the PTO will generate another Filing Receipt incorporating the requested

Applicant(s)

Bernard Vining, Chicago, IL;

Continuing Data as Claimed by Applicant

THIS APPLN CLAIMS BENEFIT OF 60/222,300 08/01/2000

Foreign Applications

If Required, Foreign Filing License Granted 02/08/2001

Projected Publication Date: To Be Determined - pending completion of Corrected Papers

Non-Publication Request: No

Early Publication Request: No

** SMALL ENTITY **

Title

Multiple area smoke detector system

Preliminary Class

340



STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS UNITED STATES PATENT AND TRADEMARK OFFICE

WAYK LEEDED OOK

APPLICATION NUMBER

FILING DATE

GRP ART UNIT

FIL FEE REC'D ATTY DOCKET NO DRAWINGS TOT CLAIMS IND CLAIMS

60/222,300

08/01/2000

75

Bernard Vining 8419 South Troy Street Chicago, IL 60629

RECEIVED

JAN 0 7 2002

Technology Center 2600

FILING RECEIPT

OC000000005513454°

Date Mailed: 10/30/2000

Receipt is acknowledged of this provisional Pater* Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Customer Service Center. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the PTO processes the reply to the Notice, the PTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Bernard Vining, Chicago, IL;

Continuing Data as Claimed by Applicant

Foreign Applications

If Required, Foreign Filing License Granted 10/27/2000

** SMALL ENTITY **

Title

Multiple area smoke detector system

Preliminary Class

Data entry by: WITCHER, TARA

Team: OIPE

Date: 10/30/2000

,	₹	Application No.	Applicant(s)
M 0 3 50	al of	09/747,268	VINING BERNARD
Mu .	Siffice Action Summary	Examiner	Art Unit
Ze TRADEN	AH S	Edward Lefkowitz	2632
Period fo	The MAILING DATE of this communication Reply	n appears on the cover sheet w	vith the correspondence address
- Exter after - If the - If NO - Failu - Any I	ORTENED STATUTORY PERIOD FOR R MAILING DATE OF THIS COMMUNICATI nsions of time may be available under the provisions of 37 C SIX (6) MONTHS from the mailing date of this communicati speriod for repty specified above is less than thirty (30) days period for repty is specified above, the maximum statutory is to reply within the set or extended period for repty will, by repty received by the Office later than three months after the ed patent term adjustment. See 37 CFR 1.704(b).	ON. FR 1.136(a). In no event, however, may a on. , a reply within the statutory minimum of this period will apply and will expire SIX (6) MO statute cause the profilesting to become A	reply be timely filed irty (30) days will be considered timely. NTHS from the mailing date of this communication.
1)[🛛	Responsive to communication(s) filed or	n 17 Anril 2001	
2a)□		This action is non-final.	
3)	Since this application is in condition for a closed in accordance with the practice u	allowance except for formal ma	atters, prosecution as to the merits is
Dispositi	ion of Claims	un parto quajio, 1909 Ç	.D. 11, 400 O.G. 213.
· ·	Claim(s) 1-9 is/are pending in the applica	ation	•
	4a) Of the above claim(s) is/are wit		DECEIVED
	Claim(s) is/are allowed.		RECEIVED
_	Claim(s) 1-9 is/are rejected.		JAN 0 7 2002
	Claim(s) is/are objected to.		Technology Center 2600
	Claim(s) are subject to restriction a	and/or election requirement	roomlology defiled 2000
	on Papers	4	•
	The specification is objected to by the Exa	miner	·
	The drawing(s) filed on is/are: a)		the Examiner
	Applicant may not request that any objection		
11) 🔲 🗆	The proposed drawing correction filed on _		
	If approved, corrected drawings are required		•
12)[] 1	The oath or declaration is objected to by th	e Examiner.	
riority u	inder 35 U.S.C. §§ 119 and 120		
13)	Acknowledgment is made of a claim for fo	reign priority under 35 U.S.C.	§ 119(a)-(d) or (f).
	☐ All b) ☐ Some * c) ☐ None of:		
	1. Certified copies of the priority docur	nents have been received.	
	2. Certified copies of the priority docur	nents have been received in A	Application No
	 Copies of the certified copies of the application from the International ee the attached detailed Office action for a 	al Bureau (PCT Rule 17.2(a)).	•
	cknowledgment is made of a claim for don	•	
a)	The translation of the foreign language cknowledgment is made of a claim for dor	e provisional application has b	een received.
ttachment		noone priority under 33 U.S.C.	. 33 120 aliu/01 121.
Notice ■	· ` ' e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948	4) Interview 3) 5) Notice of	Summary (PTO-413) Paper No(s) Informal Patent Application (PTO-152)





JNITED STATE DEPARTMENT OF COMMERCE

Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS

Washington, D.C. 20231

AA (343 A2)

FILING DATE

FIRST NAMED INVENTOR

ATTORNEY DOCKET NO.

09/747.268

12/26/00

VINING

B

WM01/1003

BERNARD VINING 6419 SOUTH TROY STREET CHICAGO IL 60629 ___

EXAMINER

LEFKOWITZ, E

PAPER NUMBER

2632

RECEIVED

DATE MAILED:

10/03/01

JAN 0 7 2002

Technology Center 2600

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks